

What is claimed is:

1. A ruled line extracting apparatus,  
comprising:

5 estimating means for estimating a size of a  
standard pattern included in an input image; and

straight line extracting means for setting a  
threshold value based on information of the size of  
the standard pattern, and extracting information of  
10 one or more straight line patterns from the input  
image using the threshold value.

2. The ruled line extracting apparatus according  
to claim 1, wherein said estimating means estimates  
15 a size of a character pattern included in the input  
image as the size of the standard pattern.

3. The ruled line extracting apparatus according  
to claim 1, wherein said estimating means estimates  
20 the size of the standard pattern based on a histogram  
of sizes of pixel concatenation regions included in  
the input image.

4. The ruled line extracting apparatus according  
25 to claim 1, wherein said straight line extracting

means includes:

straight line deleting means for determining whether or not to delete one of the one or more straight line patterns, by using the threshold value and at least either of information about a shape of one among one or more straight line patterns, and information about a distance between two straight line patterns included in one or more straight line patterns.

5. The ruled line extracting apparatus according to claim 1, wherein said straight line extracting means includes:

straight line deleting means for determining whether or not to delete either of a horizontal straight line pattern and a vertical straight line pattern included in the one or more straight line patterns, based on a link relationship between the horizontal straight line pattern and the vertical straight line pattern and the threshold value.

6. The ruled line extracting apparatus according to claim 1, wherein said straight line extracting means includes:

straight line deleting means for determining

whether or not to delete a shorter pattern of two straight line patterns which are included in the one or more straight line patterns and almost overlap, using the threshold value.

5

7. A ruled line extracting apparatus, comprising:

straight line extracting means for extracting information of one or more straight line patterns from an input image;

calculating means for obtaining a representative value of sizes of the one or more straight line patterns;

and

straight line processing means for setting a threshold value based on the representative value, and processing the information of the one or more straight line patterns using the threshold value.

20

8. The ruled line extracting apparatus according to claim 7, wherein said calculating means obtains the representative value according to either of a histogram of heights of horizontal straight line patterns included in the one or more straight line patterns, and a histogram of widths of vertical

25

T200405050200

straight line patterns included in the one or more straight line patterns.

9. The ruled line extracting apparatus according to claim 7, wherein said straight line processing means further comprises a straight line integrating means for recognizing a straight line pattern after integration as a ruled line candidate, if a size of the straight line pattern generated by integrating two straight line patterns which partially overlap among the one or more straight line patterns, is approximately the representative value.

10. A ruled line extracting apparatus, comprising:

straight line extracting means for extracting information of one or more straight line patterns from an input image;

calculating means for obtaining a representative value of sizes of one or more segment patterns structuring the one or more straight line patterns; and

straight line processing means for setting a threshold value based on the representative value, and processing the information of the one or more straight

line patterns using the threshold value.

11. The ruled line extracting apparatus according to claim 10, wherein said calculating means obtains the representative value according to either of a histogram of heights of horizontal segment patterns included in the one or more segment patterns, and a histogram of widths of vertical segment patterns included in the one or more straight line patterns.

12. The ruled line extracting apparatus according to claim 10, wherein said straight line processing means further comprises:

straight line deleting means for deleting a straight line pattern composed of segment patterns which are larger than the threshold value among the one or more straight line patterns.

13. A ruled line extracting apparatus, comprising:

segment extracting means for extracting information of one or more segment patterns from an input image;

storing means for classifying the information of the one or more segment patterns into information of

a large segment pattern and information of a small segment pattern; and

straight line extracting means for examining a link state of the one or more segment patterns, and  
5 when a large segment pattern is linked to small segment patterns, extracting a straight line pattern composed of the small segment patterns regardless of a size of the large segment pattern.

10 14. A ruled line extracting apparatus, comprising:

straight line extracting means for extracting information of one or more straight line patterns from an input image; and

15 straight line integrating means for integrating two straight line patterns included in the one or more straight line patterns if the two straight line patterns almost overlap .

20 15. A ruled line extracting apparatus, comprising:

straight line extracting means for extracting information of one or more straight line patterns from an input image; and

25 straight line deleting means for determining

2025030300

5

10

15

20

25

straight line extracting means for extracting information of one or more straight line patterns from an input image; and

straight line deleting means for deleting a shorter pattern of two straight line patterns which are included in the one or more straight line patterns and almost overlap.

5

18. A ruled line extracting apparatus, comprising:

straight line extracting means for extracting information of one or more straight line patterns from an input image; and

straight line integrating means for recognizing a straight line pattern after integration as a ruled line candidate, if a size of the straight line pattern generated by integrating two straight line patterns which partially overlap among the one or more straight line patterns, is approximately a predetermined value.

15

19. A ruled line extracting apparatus, comprising:

20

straight line extracting means for extracting information of one or more straight line patterns from an input image; and

25

straight line deleting means for deleting a straight line pattern composed of segment patterns which are larger than a threshold value, among the one



20. A ruled line extracting apparatus,  
comprising:

graph generating means for obtaining the number of pixels included in a segment pattern of a standard size among one or more segment patterns structuring the straight line pattern, and generating a graph representing the number of pixels around the straight line pattern; and

21. The ruled line extracting apparatus according to claim 20, further comprising:

20 storing means for attaching a mark to information  
of a large segment pattern among the one or more  
segment patterns, and storing information of the one  
or more segment patterns, wherein said graph  
generating means recognizes a segment pattern to which  
25 the mark is not attached among the one or more segment

patterns as the segment pattern of the standard size.

22. The ruled line extracting apparatus according to claim 20, wherein:

5        said graph generating means shifts the segment pattern of the standard size in a direction perpendicular to a direction of a length of the straight line pattern, and generates the graph representing a relationship between an amount of shift  
10        and the number of pixels; and

      said straight line deleting means deletes the straight line pattern if the shape of the graph is gentle.

15        23. A computer-readable storage medium, when used by a computer, to direct the computer to perform the functions of:

      estimating a size of a standard pattern included in an input image;

20        setting a threshold value based on information of the size of the standard pattern; and

      extracting information of one or more straight line patterns from the input image using the threshold value.

25

00755046-010001

24. A computer-readable storage medium, when used by a computer, to direct the computer to perform the functions of:

5 extracting information of one or more straight line patterns from an input image;

obtaining a representative value of sizes of the one or more straight line patterns;

10 setting a threshold value based on the representative value; and

processing the information of the one or more straight line patterns using the threshold value.

A

25. A computer-readable storage medium, when used by a computer, to direct the computer to perform the functions of:

15 extracting information of one or more straight line patterns from an input image;

20 obtaining a representative value of sizes of one or more segment patterns structuring the one or more straight line patterns;

setting a threshold value based on the representative value; and

25 processing the information of the one or more straight line patterns using the threshold value.

26. A computer-readable storage medium, when used by a computer, to direct the computer to perform the functions of:

5 extracting information of one or more segment patterns from an input image;

classifying the information of the one or more segment patterns into information of a large segment pattern and information of a small segment pattern; and

10 examining a link state of one or more segment patterns, and when a large segment pattern is linked to small segment patterns, extracting a straight line pattern composed of the small segment patterns regardless of a size of the large segment pattern.

15

27. A computer-readable storage medium, when used by a computer, to direct the computer to perform the functions of:

20 extracting information of one or more straight line patterns from an input image; and

integrating two straight line patterns included in the one or more straight line patterns into one, if the two straight line patterns almost overlap.

25

28. A computer-readable storage medium, when used

by a computer, to direct the computer to perform the functions of:

extracting information of one or more straight line patterns from an input image; and

5 determining whether or not to delete one among the one or more straight line patterns, using at least either of information about a shape of the one among the one or more straight line patterns, and information about a distance between two straight line  
10 patterns included in the one or more straight line patterns.

29. A computer-readable storage medium, when used by a computer, to direct the computer to perform the  
15 functions of:

extracting information of one or more straight line patterns from an input image; and

determining whether or not to delete either of a horizontal straight line pattern and a vertical  
20 straight line pattern included in the one or more straight line patterns, based on a link relationship between the horizontal straight line pattern and the vertical straight line pattern.

25 30. A computer-readable storage medium, when used

2025 RELEASE UNDER E.O. 14176

by a computer, to direct the computer to perform the functions of:

extracting information of one or more straight line patterns from an input image; and

5 deleting a shorter pattern of two straight line patterns which are included in the one or more straight line patterns and almost overlap.

10 31. A computer-readable storage medium, when used by a computer, to direct the computer to perform the functions of:

extracting information of one or more straight line patterns from an input image; and

15 recognizing a straight line pattern after integration as a ruled line candidate, if a size of the straight line pattern generated by integrating two straight line patterns which partially overlap among the one or more straight line patterns is approximately a predetermined value.

20

32. A computer-readable storage medium, when used by a computer, to direct the computer to perform the functions of:

25 extracting information of one or more straight line patterns from an input image; and

2025 RELEASE UNDER E.O. 14176

deleting a straight line pattern composed of large segment patterns which are larger than a threshold value, among the one or more straight line patterns.

5        33. A computer-readable storage medium, when used by a computer, to direct the computer to perform the functions of:

extracting information of a straight line pattern from an input image;

10       obtaining the number of pixels included in a segment pattern of a standard size among one or more segment patterns structuring the straight line pattern, and generating a graph representing the number of pixels around the straight line pattern; and

15       determining whether or not to delete the straight line pattern based on a shape of the graph.

34. A ruled line extracting method, comprising the steps of:

20       estimating a size of a standard pattern included in a input image;

setting a threshold value based on information of the size of the standard pattern; and

25       extracting information of one or more straight line patterns from the input image, using the

20250310090000

threshold value.

35. A ruled line extracting method, comprising the steps of:

5 extracting information of one or more straight line patterns from an input image;

obtaining a representative value of sizes of the one or more straight line patterns;

10 setting a threshold value based on the representative value; and

processing the information of the one or more straight line patterns using the threshold value.

36. A ruled line extracting method, comprising the steps of:

15 extracting information of one or more straight line patterns from an input image;

20 obtaining a representative value of sizes of one or more segment patterns structuring the one or more straight line patterns;

setting a threshold value based on the representative value; and

processing the information of the one or more straight line patterns using the threshold value.

25



37. A ruled line extracting method, comprising the steps of:

extracting information of one or more segment patterns from an input image;

5       classifying the information of the one or more segment patterns into information of a large segment pattern and information of a small segment pattern; and

10       examining a link state of one or more segment patterns, and when a large segment pattern is linked to small segment patterns, extracting a straight line pattern composed of the small segment patterns regardless of a size of the large segment pattern.

15       38. A ruled line extracting method, comprising the steps of:

extracting information of one or more straight line patterns from an input image; and

20       integrating two straight line patterns included in the one or more straight line patterns, if the two straight line patterns almost overlap.

39. A ruled line extracting method, comprising the steps of:

25       extracting information of one or more straight

line patterns from an input image; and  
determining whether or not to delete one among the  
one or more straight line patterns, using at least  
either of information about a shape of the one among  
the one or more straight line patterns, and  
information about a distance between two straight line  
patterns included in the one or more straight line  
patterns.

40. A ruled line extracting method, comprising  
the steps of:

extracting information of one or more straight  
line patterns from an input image; and

determining whether or not to delete either of a  
horizontal straight line pattern and a vertical  
straight line pattern included in the one or more  
straight line patterns, based on a link relationship  
between the horizontal straight line pattern and the  
vertical straight line pattern.

41. A ruled line extracting method, comprising  
the steps of:

extracting information of one or more straight  
line patterns from an input image;

deleting a shorter pattern of two straight line

patterns which are included in the one or more straight line patterns and almost overlap.

5 42. A ruled line extracting method, comprising the steps of:

extracting information of one or more straight line patterns from an input image;

10 recognizing a straight line pattern after integration as a ruled line candidate, if a size of the straight line pattern generated by integrating two straight line patterns which partially overlap among the one or more straight line patterns, is approximately a predetermined value.

15 43. A ruled line extracting method, comprising the steps of:

extracting information of one or more straight line patterns from an input image; and

20 deleting a straight line pattern composed of segment patterns which are larger than a threshold value, among the one or more straight line patterns.

44. A ruled line extracting method, comprising the steps of:

25 extracting information of a straight line pattern

0975016 01004  
F00070-91055260

from an input image;

- 5 obtaining the number of pixels included in a segment pattern of a standard size among one or more segment patterns structuring the straight line pattern, and generating a graph representing the number of pixels around the straight line pattern; and
- determining whether or not to delete the straight line pattern based on a shape of the graph.

09/04/2004 10:00:00